



The CT200 is a powerful Device Navigator that enables seamless management and monitor of room devices, including AVoIP, cameras, audio, and more. With advanced room control capabilities, such as routing AV signals and managing display power, it delivers an automated, tailored experience for any room configuration.

Key Features

Efficient Management with Dual Network Ports

With two network ports, the Yealink CT200 enables the separation of management and device control, ensuring secure, efficient network traffic and better overall system performance.

Effortless Third-Party Integration via Open API

Yealink empowers seamless third-party device integration with its powerful Open API capabilities, enabling flexible and customized solutions.

<h3>Installation Method</h3>	<ul style="list-style-type: none"> • Rack installation • Flat installation
<h3>Hardware Interface</h3>	<ul style="list-style-type: none"> • 1* PoE port • 1* RJ45 port • 1* MGMT port • 1* 12V/2A power supply port
<h3>Package</h3>	<ul style="list-style-type: none"> • CT200 • 1* 3m Cat5 cable • 1* USB 3.0 Type(C-A) Cable • Power adapter (12V/2A) • Mounting ears • Rack installation connection piece • 4* Self-tapping screws + expansion bolts • 4* Screws for the brackets • 8* Screws for mounting ears • Quick start guide
<h3>Environmental Factors</h3>	<ul style="list-style-type: none"> • Operating humidity: 10~95% • Operating temperature: -10~+45°C • Storage temperature: -30~70°C
<h3>Power Supply</h3>	<ul style="list-style-type: none"> • Power consumption: <ul style="list-style-type: none"> - Average: 2W - Peak: 3.5W - Standby: 1.7W • Power Supply: <ul style="list-style-type: none"> - Power Adapter: DC 12V/2A - PoE: 802.3af
<h3>Dimensions and Weight (W × D × H)</h3>	<ul style="list-style-type: none"> • Giftbox size: 259 × 193 × 124 mm • Carton size: 635 × 265 × 209 mm • Dimensions: 216 × 160 × 36 mm • G.W/CTN: 9.252 kg • N.W/CTN: 8.530 kg • Weight: 1.146 kg • Quantity/carton: 5 pcs

About Yealink

Yealink (Stock Code: 300628) is a global-leading provider of Unified Communication & Collaboration Solutions specialized in video conferencing, voice communications, and collaboration, dedicated to helping every person and organization embrace the power of "Easy Collaboration, High Productivity".

With best-in-class quality, innovative technology, and user-friendly experiences, Yealink is one of the best providers in more than 140 countries and regions, ranks No.1 in the global market share of IP Phone, and is the Top 5 leader in the video conferencing market (Frost & Sullivan, 2021).

For more information about Yealink, click [here](#).

Copyright

Copyright © 2025 YEALINK(XIAMEN) NETWORK TECHNOLOGY CO., LTD.

All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Yealink(Xiamen) Network Technology CO., LTD.

Technical Support

Visit Yealink WIKI (<http://support.yealink.com/>) for firmware downloads, product documents, FAQ, and more. For better service, we sincerely recommend you to use Yealink Ticketing system (<https://ticket.yealink.com>) to submit all your technical issues.



YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.
Web: www.yealink.com
Addr: No.666 Hu'an Rd,Huli District Xiamen City, Fujian, P.R.C
Copyright©2025 Yealink Inc. All right reserved.